

## ARG20731 Rat IgM Isotype Control antibody [NIP/M-2]

Package: 100 µg  
Store at: -20°C

### Summary


|                     |  |
|---------------------|--|
| Product Description | Rat Monoclonal antibody [NIP/M-2] as a negative control antibody for Rat IgM |
| Tested Application  | ELISA, FACS, FLISA, IHC-P  |
| Specificity         | NIP  |
| Host                | Rat  |
| Clonality           | Monoclonal   |
| Clone               | NIP/M-2  |
| Isotype             | IgM, lambda  |
| Target Name         | Rat IgM  |
| Conjugation         | Un-conjugated  |

### Application Instructions

| Application table | Application  | Dilution        |
|-------------------|--|-----------------|
|                   | ELISA  | Assay-dependent |
|                   | FACS   | Assay-dependent |
|                   | FLISA  | Assay-dependent |
|                   | IHC-P  | Assay-dependent |
| Application Note  | * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. |                 |

### Properties

|                     |  |
|---------------------|--|
| Form                | Liquid   |
| Purification        | Purified   |
| Buffer              | BBS (pH 8.2)   |
| Concentration       | 0.5 mg/ml  |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note                | For laboratory research only, not for drug, diagnostic or other use.   |



ARG20731 Rat IgM Isotype Control antibody [NIP/M-2] ELISA image

ELISA: The plate was coated with serially diluted ARG20731 Rat IgM Isotype Control antibody [NIP/M-2]. Immunoglobulin was detected with [ARG21692](#) Goat anti-Rat IgG antibody (Biotin) (pre-adsorbed) and [ARG21687](#) Goat anti-Rat IgM antibody (Biotin) (pre-adsorbed) followed by [ARG23912](#) Streptavidin (HRP) and quantified.