

Product datasheet

info@arigobio.com

ARG20976 anti-CD90.2 / Thy 1.2 antibody [30-H12] (APC)

Package: 50 μg Store at: 4°C

Summary

Product Description APC-conjugated Rat Monoclonal antibody [30-H12] recognizes CD90.2 / Thy 1.2

Tested Reactivity Ms

Tested Application Depletion, FACS, ICC/IF, IHC-Fr

Specificity Mouse CD90.2. The clone 30-H12 does not cross react with mouse and rat strains bearing the Thy-1.1

alloantigen (e.g., AKR/J, PL).

Host Rat

Clone Monoclonal S0-H12

Isotype IgG2b, kappa

Target Name CD90.2 / Thy 1.2

Species Mouse

Immunogen Mouse thymus or spleen.

Conjugation APC

Alternate Names Thy-1 membrane glycoprotein; Thy-1 antigen; CD antigen CD90; CDw90; CD90

Application Instructions

Application table	Application	Dilution
	Depletion	Assay-dependent
	FACS	< 0.2 µg/10^6 cells
	ICC/IF	Assay-dependent
	IHC-Fr	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid	
Buffer	PBS, 0.1% Sodium azide and Sucrose.	
Preservative	0.1% Sodium azide	
Stabilizer	Sucrose	
Concentration	0.1 mg/ml	
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be	

gently mixed before use.

Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links <u>GeneID: 21838 Mouse</u>

Swiss-port # P01831 Mouse

Gene Symbol THY1

Gene Full Name thymus cell antigen 1, theta

Background This gene encodes a cell surface glycoprotein and member of the immunoglobulin superfamily of

proteins. The encoded protein is involved in cell adhesion and cell communication in numerous cell types, but particularly in cells of the immune and nervous systems. The encoded protein is widely used

as a marker for hematopoietic stem cells. This gene may function as a tumor suppressor in

nasopharyngeal carcinoma. Alternative splicing results in multiple transcript variants. [provided by


RefSeq, Jul 2015]

Function May play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the

brain. [UniProt]

Calculated Mw 18 kDa

Images



ARG20976 anti-CD90.2 / Thy 1.2 antibody [30-H12] (APC) FACS image

Flow Cytometry: BALB/c Mouse splenocytes stained with ARG20976 anti-CD90.2 / Thy 1.2 antibody [30-H12] (APC) and <u>ARG20850</u> anti-CD19 antibody [6D5] (FITC).