

## ARG21654

Goat anti-Human IgM antibody, F(ab')<sub>2</sub> fragment (HRP), pre-adsorbed

Package: 500 µl

Store at: 4°C

## Summary

Product Description	HRP-conjugated F(ab') <sub>2</sub> fragment of Goat Polyclonal antibody recognizes Human IgM
Tested Reactivity	Hu
Tested Application	ELISA, ELISPOT, FACS, FLISA
Specificity	The antibody reacts with the heavy chain of Human IgM. The antibody is pre-adsorbed with Human IgG and IgA, so the antibody may not react with Human IgG and IgA, but may react with IgM from other species.
Host	Goat
Clonality	Polyclonal
Isotype	F(ab') <sub>2</sub> IgG
Target Name	IgM
Species	Human
Conjugation	HRP

## Application Instructions

Pre Adsorbed	Human IgG and IgA.										
Application table	<table><thead><tr><th>Application</th><th>Dilution</th></tr></thead><tbody><tr><td>ELISA</td><td>1:4000 - 1:8000</td></tr><tr><td>ELISPOT</td><td>Assay-dependent</td></tr><tr><td>FACS</td><td>Assay-dependent</td></tr><tr><td>FLISA</td><td>Assay-dependent</td></tr></tbody></table>	Application	Dilution	ELISA	1:4000 - 1:8000	ELISPOT	Assay-dependent	FACS	Assay-dependent	FLISA	Assay-dependent
Application	Dilution										
ELISA	1:4000 - 1:8000										
ELISPOT	Assay-dependent										
FACS	Assay-dependent										
FLISA	Assay-dependent										
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.										

## Properties


Form	Liquid
Buffer	50% PBS (pH 7.4) and 50% Glycerol
Stabilizer	50% Glycerol
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Highlight

Related news:

[Comprehensive anti-Human secondary antibodies](#)

Images



ARG21654 Goat anti-Human IgM antibody, F(ab')2 fragment (HRP) (pre-adsorbed) ELISA image

ELISA: The plate was coated with purified Human IgM, IgG, and IgA. Immunoglobulins were detected with serially diluted ARG21654 Goat anti-Human IgM antibody, F(ab')2 fragment (HRP) (pre-adsorbed).