

# Product datasheet

info@arigobio.com

# ARG21670 Goat anti-Human IgG antibody (Beta-galactosidase), pre-adsorbed

Package: 500 μl Store at: 4°C

## **Summary**

Product Description Beta-galactosidase-conjugated Goat Polyclonal antibody recognizes Human IgG

Tested Reactivity Hu

Tested Application Depletion, ELISA, ELISPOT, FACS, FLISA, ICC/IF, IHC-Fr, IHC-P, WB

Specificity The antibody reacts with the heavy chain of Human IgG. The antibody is pre-adsorbed with Human IgM

and IgA, so the antibody may not react with Human IgM and IgA, but may react with IgG from other

species.

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name IgG

Species Human

Conjugation Beta-galactosidase

### **Application Instructions**

Pre Adsorbed	Human IgM and IgA.

Application tak	าโค

Application	Dilution	
Depletion	Assay-dependent	
ELISA	1:500	
ELISPOT	Assay-dependent	
FACS	Assay-dependent	
FLISA	Assay-dependent	
ICC/IF	Assay-dependent	
IHC-Fr	Assay-dependent	
IHC-P	Assay-dependent	
WB	Assay-dependent	
* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations		

**Application Note** 

#### **Properties**

Form	Liquid

**Purification** Affinity purification with immunogen.

<sup>\*</sup> The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

Buffer PBS, 0.05 - 0.2% Sodium azide and 50% Glycerol.

Preservative 0.05 - 0.2% Sodium azide

Stabilizer 50% Glycerol

Storage instruction Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.


Note For laboratory research only, not for drug, diagnostic or other use.

#### Bioinformation

Highlight Related news:

Comprehensive anti-Human secondary antibodies

### **Images**



ARG21670 Goat anti-Human IgG antibody (Beta-galactosidase) (preadsorbed) ELISA image

ELISA: The plate was coated with purified Human IgG, IgM, and IgA. Immunoglobulins were detected with serially diluted ARG21670 Goat anti-Human IgG antibody (Beta-galactosidase) (pre-adsorbed).