

ARG21672

Goat anti-Human IgG antibody, F(ab')₂ fragment (AP), pre-adsorbed

Package: 500 µl

Store at: 4°C

Summary

Product Description	AP-conjugated F(ab') ₂ fragment of Goat Polyclonal antibody recognizes Human IgG
Tested Reactivity	Hu
Tested Application	ELISA, ELISPOT, FACS, FLISA, IHC-Fr, WB
Specificity	The antibody reacts with the heavy chain of Human IgG. The antibody is pre-adsorbed with Human IgM and IgA, so the antibody may not react with Human IgM and IgA, but may react with IgG from other species.
Host	Goat
Clonality	Polyclonal
Isotype	F(ab') ₂ IgG
Target Name	IgG
Species	Human
Conjugation	AP

Application Instructions

Pre Adsorbed	Human IgM and IgA.	
Application table	Application	Dilution
	ELISA	1:2000 - 1:4000
	ELISPOT	Assay-dependent
	FACS	Assay-dependent
	FLISA	Assay-dependent
	IHC-Fr	Assay-dependent
	WB	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid
Buffer	50 mM Tris (pH 8.0), 0.1% Sodium azide, 1 mM MgCl ₂ and 50% Glycerol
Preservative	0.1% Sodium azide
Stabilizer	50% Glycerol
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.


Bioinformation

Highlight

Related news:

[Comprehensive anti-Human secondary antibodies](#)

Images



ARG21672 Goat anti-Human IgG antibody, F(ab')₂ fragment (AP) (pre-adsorbed) ELISA image

ELISA: The plate was coated with purified Human IgG, IgM, and IgA. Immunoglobulins were detected with serially diluted ARG21672 Goat anti-Human IgG antibody, F(ab')₂ fragment (AP) (pre-adsorbed).