

## ARG21906 Goat anti-Human IgG antibody (low endotoxin), pre-adsorbed

Package: 250 µg  
Store at: -20°C

### Summary

Product Description	Azide free and low endotoxin Goat Polyclonal antibody recognizes Human IgG
Tested Reactivity	Hu
Tested Application	Depletion, ELISA, ELISPOT, FACS, FLISA, ICC/IF, IHC-Fr, IHC-P, IP, WB
Specificity	The antibody reacts with the heavy chain of Human IgG. The antibody is pre-adsorbed with Human IgM and IgA, so the antibody may not react with Human IgM and IgA, but may react with IgG from other species.
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	IgG
Species	Human
Conjugation	Un-conjugated

### Application Instructions

Pre Adsorbed	Human IgM and IgA.	
Application table	Application	Dilution
	Depletion	Assay-dependent
	ELISA	Assay-dependent
	ELISPOT	Assay-dependent
	FACS	< 1 ug/10 <sup>6</sup> cells
	FLISA	Assay-dependent
	ICC/IF	Assay-dependent
	IHC-Fr	Assay-dependent
	IHC-P	Assay-dependent
	IP	Assay-dependent
WB	Assay-dependent	
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

### Properties

Form	Liquid
------	--------

Purification	Affinity purification with immunogen.
Purification Note	Low endotoxin
Buffer	PBS
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

---

Highlight	Related news: <a href="#">Comprehensive anti-Human secondary antibodies</a>
-----------	--