

Product datasheet

info@arigobio.com

ARG21910 Goat anti-Human IgA antibody (FITC), pre-adsorbed

Package: 500 μg Store at: 4°C

Summary

Product Description FITC-conjugated Goat Polyclonal antibody recognizes Human IgA

Tested Reactivity Hu

Tested Application Depletion, FACS, FLISA, ICC/IF, IHC-Fr, IHC-P, WB

Specificity The antibody reacts with the heavy chain of Human IgA. The antibody is pre-adsorbed with Human IgG

and IgM, so the antibody may not react with Human IgG and IgM, but may react with IgA from other

species.

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name IgA

Species Human

Conjugation FITC

Application Instructions

Pre Adsorbed	Human IgG and IgM.
Pre Ausorbeu	numan igo ano igivi.

Application table

Application	Dilution
Depletion	Assay-dependent
FACS	< 1 ug/10^6 cells
FLISA	1:100 - 1:400
ICC/IF	Assay-dependent
IHC-Fr	Assay-dependent
IHC-P	Assay-dependent
WB	Assay-dependent
* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations	

Application Note

Properties

Form Liquid

Purification Affinity purification with immunogen.

Buffer PBS and 0.1% Sodium azide.

Preservative 0.1% Sodium azide

www.arigobio.com arigo.nuts about antibodies 1/2

^{*} The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

Concentration 1 mg/ml


Storage instruction Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Images



ARG21910 Goat anti-Human IgA antibody (FITC) (pre-adsorbed) FLISA image

FLISA: The plate was coated with purified Human IgA, IgG and IgM. Immunoglobulins were detected with serially diluted ARG21910 Goat anti-Human IgA antibody (FITC) (pre-adsorbed).