

Product datasheet

info@arigobio.com

ARG22104 anti-Ly6G + Ly6C antibody [RB6-8C5]

Package: 100 μg Store at: -20°C

Summary

Product Description Rat Monoclonal antibody [RB6-8C5] recognizes Ly6G + Ly6C

Tested Reactivity Ms

Tested Application Depletion, FACS, IHC-Fr, IHC-P, IP

Specificity This antibody recognizes the mouse Gr-1 antigen, a ~21 - 25 kDa GPI anchored cell surface protein

bearing a single uPAR/Ly6 domain that belongs to the Ly-6 family of proteins (Lee et al. 2013). Clone RB6-8C5 reacts predominantly with the Ly-6G protein but weaker reactivity with the Ly-6C protein has been reported (Fleming et al. 1993). However, other observations dispute the cross-reactivity of clone RB6-8C5 with the Ly-6C protein with the alternative explanation that certain sub-populations of bone

marrow cells simultaneously express both Ly-6C and Ly-6G (Nagendra et al. 2007).

Host Rat

Clonality Monoclonal
Clone RB6-8C5

Target Name Ly6G + Ly6C

Species Mouse

Conjugation Un-conjugated

Alternate Names Gr1; Gr-1; Ly-6G

Application Instructions

Application table	Application	Dilution
	Depletion	Assay-dependent
	FACS	1.50 - 1.100 (Use 10 μl to label 10^6 cells in 100 $\mu l)$
	IHC-Fr	Assay-dependent
	IHC-P	Assay-dependent
	IP	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid	
Buffer	BBS (pH 8.2)	
Concentration	0.5 mg/ml	
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot	

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links <u>GeneID: 546644 Mouse</u>

Gene Symbol Ly6g

Gene Full Name lymphocyte antigen 6 complex, locus G

Background Ly6G is a component of the myeloid differentiation antigen Gr-1, together with Ly6C. Ly6G is a good

marker for detection of peripheral neutrophils. Expression of Gr-1 in bone marrow correlates with granulocyte differentiation and maturation. Physiological role of Ly6G remains still unclear. Its treatment with antibodies in vivo leads to neutropenia and has inhibitory effect on local immune

responses. _x000D_

Highlight Related Antibody Duos and Panels:

ARG30326 Inflammatory Cell Antibody Panel (for mouse)

ARG30335 Mouse MDSC Marker Antibody Duo

Related products:

<u>Ly6 antibodies;</u> <u>Ly6 ELISA Kits;</u> <u>Ly6 Duos / Panels;</u> <u>Anti-Rat IgG secondary antibodies;</u>

Related news:

New antibody panels and duos for Tumor immune microenvironment

Exploring Antiviral Immune Response


Anti-SerpinB9 therapy, a new strategy for cancer therapy

Research Area Mouse Inflammatory Cell Marker antibody; Neurophil Marker antibody; Mouse MDSC Marker antibody;

Myeloid-derived suppressor cell antibody

Calculated Mw 12 kDa

Images



ARG22104 anti-Ly6G + Ly6C antibody [RB6-8C5] IHC-Fr image

Immunohistochemistry: Mouse spleen section stained with <u>ARG22104</u> anti-Ly6G + Ly6C antibody [RB6-8C5] followed by <u>ARG21706</u> Mouse anti-Rat IgG2b antibody [2B10A8] (FITC).