

## Product datasheet

info@arigobio.com

# ARG22652 anti-CD203a antibody [PM18-7]

Package: 100 μg Store at: -20°C

#### **Summary**

**Product Description** 

Mouse Monoclonal antibody [PM18-7] recognizes CD203a

This antibody recognizes Porcine CD203a, originally clustered as SWC9 at the Second International Swine CD Workshop (Dominguez et al. 1998) and later identified as the Porcine homologue of Human ecto-nucleotidepyrophosphatase / phosphodiesterase 1 or ENPP1 (Petersen et al. 2007).

Mouse anti Pig CD203a was originally reported to immunoprecipitate two bands, one of  $^{\sim}$ ;205 kDa and one of  $^{\sim}$ 130 kDa (Dominguez et al. 1998) under both reducing and non-reducing conditions. Subsequent studies suggest that CD203a migrates as a homodimer of  $^{\sim}$ 260 kDa under non-reducing conditions and a 130 kDa monomer under reducing conditions (Petersen et al. 2007) from preparations of Porcine alveolar macrophages.

CD203a is expressed widely in macrophage populations with notably high levels on alveolar macrophages (Petersen et al. 2007, Hwang et al. 2015), it is not expressed on monocyte populations (McCullough et al. 1997, Hwang et al. 2015).

SWC1a, expressed at very much higher levels on monocytes than mature macrophages and CD203a (SWC9), expressed exclusively on mature tissue macrophages have been used as markers of monocytemacrophage differentiation (Sanchez et al. 1999).

Tested Reactivity Pig

Tested Application FACS, IHC-Fr, IP

Host Mouse

**Clonality** Monoclonal

Clone PM18-7

Isotype IgG1

Target Name CD203a

Species Pig

Immunogen Porcine alveolar macrophages.

Conjugation Un-conjugated

#### **Application Instructions**

| Application table | Application | Dilution  |
|-------------------|-------------|---|
|                   | FACS        | 1:25 - 1:200  |
|                   | IHC-Fr      | Assay-dependent   |
|                   | IP          | Assay-dependent   |
| Application Note  | 1 00        | d working dilution to label 10^6 cells in 100 $\mu$ l. nended starting dilutions and the optimal dilutions or concentrations ientist. |

#### **Properties**

Purification Purification with Protein A.

Buffer PBS and 0.09% Sodium azide.

Preservative 0.09% Sodium azide

Concentration 1 mg/ml


Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

### **Images**



#### ARG22652 anti-CD203a antibody [PM18-7] FACS image

Flow Cytometry: Pig alveolar macrophages stained with ARG22652 anti-CD203a antibody [PM18-7] followed by Goat anti-Mouse IgG (FITC).