

# Product datasheet

info@arigobio.com

Package: 500 μg ARG23892 Goat anti-Human Lambda Light Chain antibody, pre-adsorbed Store at: -20°C

# **Summary**

**Product Description** Goat Polyclonal antibody recognizes Human Lambda Light Chain

**Tested Reactivity** Hu

**Tested Application** ELISA, ELISPOT, FACS, FLISA, ICC/IF, IHC-P, IP, WB

Specificity Reacts with Human Lambda Light Chains. The antibody has been pre-adsorbed with Human kappa light

chains, so it minimal cross-react to Human kappa light chains. It may react with Lambda light chains

from other species.

Host Goat

Clonality Polyclonal

Isotype IgG

**Target Name** Lambda Light Chain

**Species** Human

Immunogen Human Lambda Light Chains.

Conjugation Un-conjugated

## **Application Instructions**

Pre Adsorbed	Human	kanna	light	chains
i i c Augui beu	Hullian	καρρα	IISIIL	CHAIIIS

Application table	Applicat

	Application	Dilution		
	ELISA	Assay-dependent		
	ELISPOT	Assay-dependent		
	FACS	Assay-dependent		
	FLISA	Assay-dependent		
	ICC/IF	Assay-dependent		
	IHC-P	Assay-dependent		
	IP	Assay-dependent		
	WB	Assay-dependent		
* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations				

**Application Note** 

should be determined by the scientist.

#### **Properties**

Form Liquid

Purification Affinity purification with immunogen. Buffer BBS (pH 8.2)

Concentration 1 mg/ml


Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

## **Images**



# ARG23892 Goat anti-Human Lambda Light Chain antibody (preadsorbed) ELISA image

ELISA: The plate was coated with purified Human IgG $\kappa$ , IgM $\kappa$ , IgA $\kappa$ , IgG $\lambda$ , IgM $\lambda$ , and IgA $\lambda$ . Immunoglobulins were detected with serially diluted ARG23892 Goat anti-Human Lambda Light Chain antibody (pre-adsorbed) followed by Mouse anti-Goat IgG (Fc) antibody (HRP).