

## ARG24074 Goat anti-Human IgG (Fc) antibody (AP), pre-adsorbed

Package: 500 µl  
Store at: 4°C

### Summary

Product Description	AP-conjugated Goat Polyclonal antibody recognizes Human IgG (Fc)
Tested Reactivity	Hu
Tested Application	ELISA, FACS
Specificity	The antibody reacts with the Fc region of human IgG. The antibody is pre-adsorbed with Human IgG Fab, IgM, IgA, serum proteins from rabbit, mouse, rat, bovine, horse, hamster, goat, sheep, chicken and guinea pig. The antibody may react with IgG from other species.
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	Human IgG (Fc)
Species	Human
Immunogen	Human IgG
Conjugation	AP

### Application Instructions

Pre Adsorbed	Human IgG Fab, IgM, IgA, serum proteins from rabbit, mouse, rat, bovine, horse, hamster, goat, sheep, chicken and guinea pig.						
Application table	<table><thead><tr><th>Application</th><th>Dilution</th></tr></thead><tbody><tr><td>ELISA</td><td>1:2000 - 1:4000</td></tr><tr><td>FACS</td><td>Assay-dependent</td></tr></tbody></table>	Application	Dilution	ELISA	1:2000 - 1:4000	FACS	Assay-dependent
Application	Dilution						
ELISA	1:2000 - 1:4000						
FACS	Assay-dependent						
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.						

### Properties


Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	50 mM Tris (pH 8.0), 1 mM MgCl <sub>2</sub> , 0.1% Sodium azide and 50% Glycerol.
Preservative	0.1% Sodium azide
Stabilizer	50% Glycerol
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Highlight

Related news:

[Comprehensive anti-Human secondary antibodies](#)

Images



Dilution of Goat anti-Human IgG (Fc) antibody (AP) (pre-adsorbed)

ARG24074 Goat anti-Human IgG (Fc) antibody (AP) (pre-adsorbed)  
ELISA image

ELISA: The plate was coated with purified human IgG Fc and IgG Fab. Immunoglobulins were detected with serially diluted ARG24074 Goat anti-Human IgG (Fc) antibody (AP) (pre-adsorbed).