

ARG30294 Phospho SAPK / JNK Antibody Duo (Total, pT183/Y185)

Package: 1 pair
Store at: -20°C

Component

Cat. No.	Component Name	Host clonality	Reactivity	Application	Package
ARG51218	anti-SAPK / JNK antibody	Rabbit pAb	Hu, Ms, Rat	IHC-P, WB	50 µl
ARG51807	anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223)) antibody	Rabbit pAb	Hu, Ms, Rat	ICC/IF, WB	50 µl

Summary


Target Name	SAPK / JNK
Alternate Names	Phospho SAPK / JNK antibody; SAPK / JNK antibody; SAPK / JNK phospho (Thr183 (221) + Tyr185 (223)) antibody

Properties

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.


Images



ARG51218 nti-SAPK / JNK antibody WB image

Western blot: Mouse Hippocampus stained with ARG51218 nti-SAPK / JNK antibody.


From Ya-Shuo Zhao et al. Oxid Med Cell Longev. (2021), [doi: 10.1155/2021/8520967](https://doi.org/10.1155/2021/8520967), Fig. 6. c.



ARG51218 anti-SAPK / JNK antibody WB image


Western blot: Rat Myocardial stained with ARG51218 anti-SAPK / JNK antibody.

From Ya-Shuo Zhao et al. *Oxidative Medicine and Cellular Longevity*. (2019), [doi: 10.1155/2019/7415212](https://doi.org/10.1155/2019/7415212), Fig. 4. d.




ARG51218 anti-SAPK / JNK antibody WB image

Western blot: 30 μ g of HeLa cells untreated or treated with TNF-alpha at 20 ng/ml dilution (10, 20, and 30 min). The blots were stained with ARG51218 anti-SAPK / JNK antibody at 1:500 dilution.




ARG51218 anti-SAPK / JNK antibody IHC-P image

Immunohistochemistry: paraffin-embedded Human breast carcinoma tissue stained with ARG51218 anti-SAPK / JNK antibody (left) or the same antibody preincubated with blocking peptide (right).




ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223)) antibody WB image

Western blot: 30 μ g of HeLa cells untreated or treated with TNF-alpha at 10, 20, or 30 min. The blots were stained with ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223)) antibody at 1:500 dilution.




ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223))
antibody WB image

Western blot: Extracts from C6 cells untreated or treated with anisomycin. The blots were stained with ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223)) antibody.



ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223))
antibody ICC/IF image

Immunofluorescence: Methanol-fixed HeLa cells stained with ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223)) antibody.



ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223))
antibody WB image

Western blot: Extracts from 293 cells, treated with Anisomycin or calf intestinal phosphatase (CIP). The blots were stained with ARG51807 anti-SAPK / JNK phospho (Thr183 (221) / Tyr185 (223)) antibody.