

## ARG41599 anti-HOXB9 antibody

Package: 50 µg  
Store at: -20°C

### Summary

Product Description	Goat Polyclonal antibody recognizes HOXB9
Tested Reactivity	Hu, Ms
Predict Reactivity	Dog
Tested Application	WB
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	HOXB9
Species	Human
Immunogen	Synthetic peptide around the internal region of Human HOXB9. (CEGSEDKERPDQTN. NP_076922.1)
Conjugation	Un-conjugated
Alternate Names	HOX2; Homeobox protein Hox-2.5; HOX2E; Homeobox protein Hox-2E; Homeobox protein Hox-B9; HOX-2.5

### Application Instructions

Application table	Application	Dilution
	WB	0.3 - 1 µg/ml
Application Note	WB: Recommend incubate at RT for 1h. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Observed Size	~ 28 kDa	

### Properties

Form	Liquid
Purification	Affinity purified
Buffer	Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	0.5% BSA
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

**Note**

For laboratory research only, not for drug, diagnostic or other use.


## Bioinformation

---

Gene Symbol	HOXB9
Gene Full Name	homeobox B9
Background	This gene is a member of the Abd-B homeobox family and encodes a protein with a homeobox DNA-binding domain. It is included in a cluster of homeobox B genes located on chromosome 17. The encoded nuclear protein functions as a sequence-specific transcription factor that is involved in cell proliferation and differentiation. Increased expression of this gene is associated with some cases of leukemia, prostate cancer and lung cancer. [provided by RefSeq, Jul 2008]
Function	Sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis. [UniProt]
Calculated Mw	28 kDa
Cellular Localization	Nucleus. [UniProt]

## Images

---



### ARG41599 anti-HOXB9 antibody WB image

Western blot: 35 µg of Mouse spinal cord lysate (in RIPA buffer) stained with ARG41599 anti-HOXB9 antibody at 0.3 µg/ml dilution and incubated at RT for 1 hour.