

Product datasheet

info@arigobio.com

ARG52345 anti-Nestin antibody [4D11]

Package: 100 μl, 50 μl Store at: -20°C

Summary

Product Description Mouse Monoclonal antibody [4D11] recognizes Nestin

Tested Reactivity Hu, Ms, Rat

Predict Reactivity Chk, Cow, Hrs, Pig

Tested Application ICC/IF, IHC-P, WB

Host Mouse

Clonality Monoclonal

Clone 4D11
Isotype IgG1
Target Name Nestin
Species Human

Immunogen Synthetic peptide around aa. 317-630 of Human Nestin.

Conjugation Un-conjugated

Alternate Names NES; Nestin FLJ21841; Nbla00170

Application Instructions

Application table	Application	Dilution
	ICC/IF	1:100 - 1:500
	IHC-P	1:500 - 1:1000
	WB	1:2000 - 1:5000
Application Note	Specific for the ~220-240 kDa nestin doublet in Western blot in neonatal Rat brain homogenate. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	


Properties

Form	Liquid	
Purification	Ascites fluid	
Buffer	Ascites fluid and 0.01 % Sodium azide	
Preservative	0.01 % Sodium azide	
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.	

Bioinformation

Database links


Images



ARG52345 anti-Nestin antibody [4D11] ICC/IF image

Immunofluorescence: Cultured neonatal Rat neurons and glia showing nestin labeling in red (ARG52345 Nestin antibody [4D11]) and vimentin (ARG52468 anti-Vimentin antibody) in green.


Astrocytes and neuronal stem cells stain strongly and specifically in a clearly filamentous fashion with the anti-Nestin antibody. The presence of Nestin indicates that the cells are developing astrocytes, neuroblasts or undifferentiated neural stem cells.



ARG52345 anti-Nestin antibody [4D11] ICC/IF image


Immunofluorescence: Cortical neuron-glial cells from E20 Rat stained with ARG52345 anti-Nestin antibody [4D11] (red) at 1:500 dilution and costained with <u>ARG52328</u> anti-MAP2 antibody (green) at 1:5000 dilution. Hoechst (blue) for nuclear staining.

The Nestin antibody labels developing astrocytes and neuronal stem cells in a clearly filamentous fashion, while the MAP2 antibody stains dendrites and perikarya of mature neurons.



ARG52345 anti-Nestin antibody [4D11] WB image

Western blot: Rat brain (P18) homogenate stained with ARG52345 anti-Nestin antibody [4D11].



ARG52345 anti-Nestin antibody [4D11] WB image

Western blot: Rat brain (embryonic, E18), C6 and SH-SY5Y cell lysates stained with ARG52345 anti-Nestin antibody [4D11] (green) at 1:500 dilution.