

ARG55363 anti-Estrogen related Receptor gamma antibody

Package: 100 µl
Store at: -20°C

Summary

Product Description	Rabbit Polyclonal antibody recognizes Estrogen related Receptor gamma
Tested Reactivity	Hu
Predict Reactivity	Ms, Rat
Tested Application	WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	Estrogen related Receptor gamma
Species	Human
Immunogen	KLH-conjugated synthetic peptide corresponding to aa. 189-221 (Center) of Human Estrogen related Receptor gamma.
Conjugation	Un-conjugated
Alternate Names	Nuclear receptor subfamily 3 group B member 3; NR3B3; Estrogen receptor-related protein 3; ERR gamma-2; ERR3; ERRgamma; Estrogen-related receptor gamma

Application Instructions


Application table	Application	Dilution
	WB	1:1000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Positive Control	HeLa	

Properties

Form	Liquid
Purification	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Buffer	PBS and 0.09% (W/V) Sodium azide
Preservative	0.09% (W/V) Sodium azide
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Database links	GeneID: 2104 Human Swiss-port # P62508 Human
Gene Symbol	ESRRG
Gene Full Name	estrogen-related receptor gamma
Background	This gene encodes a member of the estrogen receptor-related receptor (ESRR) family, which belongs to the nuclear hormone receptor superfamily. All members of the ESRR family share an almost identical DNA binding domain, which is composed of two C4-type zinc finger motifs. The ESRR members are orphan nuclear receptors; they bind to the estrogen response element and steroidogenic factor 1 response element, and activate genes controlled by both response elements in the absence of any ligands. The ESRR family is closely related to the estrogen receptor (ER) family. They share target genes, co-regulators and promoters, and by targeting the same set of genes, the ESRRs seem to interfere with the ER-mediated estrogen response in various ways. It has been reported that the family member encoded by this gene functions as a transcriptional activator of DNA cytosine-5-methyltransferases 1 (Dnmt1) expression by direct binding to its response elements in the DNMT1 promoters, modulates cell proliferation and estrogen signaling in breast cancer, and negatively regulates bone morphogenetic protein 2-induced osteoblast differentiation and bone formation. Multiple alternatively spliced transcript variants have been identified, which mainly differ at the 5' end and some of which encode protein isoforms differing in the N-terminal region. [provided by RefSeq, Aug 2011]
Function	Orphan receptor that acts as transcription activator in the absence of bound ligand. Binds specifically to an estrogen response element and activates reporter genes controlled by estrogen response elements (By similarity). Induces the expression of PERM1 in the skeletal muscle. [UniProt]
Research Area	Cancer antibody; Gene Regulation antibody; Signaling Transduction antibody
Calculated Mw	51 kDa
PTM	Acetylated by PCAF/KAT2 (in vitro). Sumoylation on Lys-40 is enhanced by phosphorylation at Ser-45 and represses transcriptional activity. Phosphorylation on Ser-45 enhances sumoylation on Lys-40 thus repressing transcriptional activity.
Cellular Localization	Nucleus.

Images



ARG55363 anti-Estrogen related Receptor gamma antibody WB image

Western blot: 20 µg of HeLa cell lysate stained with ARG55363 anti-Estrogen related Receptor gamma antibody at 1:1000 dilution.