

ARG56110 anti-IPO38 antibody [IPO-38]

Package: 50 µg
Store at: -20°C

Summary


Product Description	Mouse Monoclonal antibody [IPO-38] recognizes IPO38
Tested Reactivity	Hu, Ms, Rat
Tested Application	IHC-P
Host	Mouse
Clonality	Monoclonal
Clone	IPO-38
Isotype	IgM, kappa
Target Name	IPO38
Species	Human
Immunogen	Spleen cells from a patient with hairy cell leukemia.
Conjugation	Un-conjugated

Application Instructions

Application table	Application	Dilution
	IHC-P	0.5 - 1 µg/ml
Application Note	<p>IHC-P: Antigen Retrieval: Boil tissue section in 10 mM Citrate buffer (pH 6.0) for 10-20 min, followed by cooling at RT for 20 min.</p> <p>* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.</p>	


Properties

Form	Liquid
Purification	PEG precipitation
Buffer	PBS (pH 7.4), 0.05% Sodium azide and 0.1 mg/ml BSA
Preservative	0.05% Sodium azide
Stabilizer	0.1 mg/ml BSA
Concentration	0.2 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.



ARG56110 anti-IPO38 antibody [IPO-38] IHC-P image

Immunohistochemistry: Formalin-fixed, paraffin-embedded Human tonsil stained with ARG56110 anti-IPO38 antibody [IPO-38].



ARG56110 anti-IPO38 antibody [IPO-38] IHC-P image

Immunohistochemistry: Formalin-fixed, paraffin-embedded Human tonsil stained with ARG56110 anti-IPO38 antibody [IPO-38].