

Product datasheet

info@arigobio.com

ARG57166 anti-Glutathione Synthetase antibody [12F2]

Package: 50 μl Store at: -20°C

Summary

Product Description Mouse Monoclonal antibody [12F2] recognizes Glutathione Synthetase

Tested Reactivity Hu
Tested Application WB

Host Mouse

Clonality Monoclonal

Clone 12F2

Isotype IgG1, kappa

Target Name Glutathione Synthetase

Species Human

Immunogen Recombinant fragment around aa. 1-474 of Human Glutathione Synthetase

Conjugation Un-conjugated

Alternate Names Glutathione synthase; GSH synthetase; EC 6.3.2.3; HEL-S-64p; Glutathione synthetase; GSHS; HEL-

S-88n; GSH-S

Application Instructions

Application table	Application	Dilution
	WB	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Purification with Protein A.

Buffer PBS (pH 7.4), 0.02% Sodium azide and 10% Glycerol.

Preservative 0.02% Sodium azide

Stabilizer 10% Glycerol

Concentration 1 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links GeneID: 2937 Human

Swiss-port # P48637 Human

Gene Symbol GSS

Gene Full Name glutathione synthetase


Background Glutathione is important for a variety of biological functions, including protection of cells from oxidative

damage by free radicals, detoxification of xenobiotics, and membrane transport. The protein encoded by this gene functions as a homodimer to catalyze the second step of glutathione biosynthesis, which is the ATP-dependent conversion of gamma-L-glutamyl-L-cysteine to glutathione. Defects in this gene are

a cause of glutathione synthetase deficiency. [provided by RefSeq, Jul 2008]

Calculated Mw 52 kDa

Images



ARG57166 anti-Glutathione Synthetase antibody [12F2] WB image

Western blot: 40 μ g of 1) MDA-MB231, 2) WiDr, 3) SW480, 4) A427, 5) MCF7, 6) 293T, 7) HeLa, 8) HT1080, 9) U87MG, and 10) A549 cell lysates stained with ARG57166 anti-Glutathione Synthetase antibody [12F2] at 1:1000.