

## ARG63531 anti-Coronin 3 / coronin 1C antibody

Package: 100 µg  
Store at: -20°C

### Summary

Product Description	Goat Polyclonal antibody recognizes Coronin 3 / coronin 1C
Tested Reactivity	Hu
Predict Reactivity	Cow, Pig
Tested Application	WB
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	Coronin 3 / coronin 1C
Species	Human
Immunogen	C-RISKLEQQMAKIAA
Conjugation	Un-conjugated
Alternate Names	HCRNN4; hCRNN4; Coronin-1C; Coronin-3

### Application Instructions

Application table	Application	Dilution
	WB	0.2 - 1 µg/ml

**Application Note**  
WB: Recommend incubate at RT for 1h.  
\* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

### Properties

Form	Liquid
Purification	Purified from goat serum by antigen affinity chromatography.
Buffer	Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	0.5% BSA
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

---

### Database links

[GeneID: 23603 Human](#)

[Swiss-port # Q9ULV4 Human](#)

### Background

This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asn (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. [provided by RefSeq, Jul 2008]

### Research Area


Cell Biology and Cellular Response antibody; Cell Death antibody; Signaling Transduction antibody

### Calculated Mw

53 kDa

## Images

---



ARG63531 anti-Coronin 3 / coronin 1C antibody WB image

Western Blot: human lung lysate (RIPA buffer, 35 µg total protein per lane) stained with ARG63531 anti-Coronin 3 / coronin 1C antibody at 0.2 µg/ml dilution.