

**ARG64045**  
**anti-SNX26 / TCGAP antibody**Package: 100 µg  
Store at: -20°C

### Summary

|                     |   |
|---------------------|---|
| Product Description | Goat Polyclonal antibody recognizes SNX26 / TCGAP   |
| Tested Reactivity   | Hu  |
| Tested Application  | IHC-P   |
| Host                | Goat  |
| Clonality           | Polyclonal  |
| Isotype             | IgG   |
| Target Name         | SNX26 / TCGAP   |
| Species             | Human   |
| Immunogen           | ARSTDSLDPGE-C   |
| Conjugation         | Un-conjugated   |
| Alternate Names     | Tc10/CDC42 GTPase-activating protein; SNX26; Rho-type GTPase-activating protein 33; Sorting nexin-26; TCGAP; Rho GTPase-activating protein 33; NOMA-GAP |

### Application Instructions

| Application table | Application  | Dilution    |
|-------------------|--|-------------|
|                   | IHC-P  | 1 - 2 µg/ml |
| Application Note  | IHC-P: Antigen Retrieval: Steam tissue section in Citrate buffer (pH 6.0).<br>* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. |             |

### Properties

|                     |  |
|---------------------|--|
| Form                | Liquid   |
| Purification        | Purified from goat serum by antigen affinity chromatography.   |
| Buffer              | Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.   |
| Preservative        | 0.02% Sodium azide   |
| Stabilizer          | 0.5% BSA   |
| Concentration       | 0.5 mg/ml  |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note                | For laboratory research only, not for drug, diagnostic or other use.   |

## Bioinformation

---

Database links

[GeneID: 115703 Human](#)

[Swiss-port # O14559 Human](#)

Background

This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular trafficking. Alternative splice variants encoding different isoforms have been identified in this gene. [provided by RefSeq, Feb 2010]

Research Area


Signaling Transduction antibody

Calculated Mw

137 kDa

## Images

---



ARG64045 anti-SNX26 / TCGAP antibody IHC-P image

Immunohistochemistry: paraffin embedded human prostate stained with ARG64045 anti-SNX26 / TCGAP antibody (1.25µg/ml). Steamed antigen retrieval with citrate buffer pH 6, AP-staining.