

ARG65214 anti-TERF2IP / RAP1 antibody

Package: 100 µg
Store at: -20°C

Summary

Product Description	Goat Polyclonal antibody recognizes TERF2IP / RAP1
Tested Reactivity	Hu
Predict Reactivity	Ms, Rat, Cow, Dog
Tested Application	WB
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	TERF2IP / RAP1
Species	Human
Immunogen	C-GAQNVARRIEFRKK
Conjugation	Un-conjugated
Alternate Names	Telomeric repeat-binding factor 2-interacting protein 1; TRF2-interacting telomeric protein 1; RAP1; DRIP5; RAP1 homolog; hRap1; Dopamine receptor-interacting protein 5; Repressor/activator protein 1 homolog; TERF2-interacting telomeric protein 1

Application Instructions

Application table	Application	Dilution
	WB	0.1 - 0.3 µg/ml
Application Note	WB: Recommend incubate at RT for 1h. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid
Purification	Purified from goat serum by antigen affinity chromatography.
Buffer	Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	0.5% BSA
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links

[GeneID: 54386 Human](#)

[Swiss-port # Q9NYB0 Human](#)

Background

The gene encodes a protein that is part of a complex involved in telomere length regulation. Pseudogenes are present on chromosomes 5 and 22. [provided by RefSeq, Apr 2010]


Research Area

Controls and Markers antibody; Gene Regulation antibody

Calculated Mw

44 kDa

Images



ARG65214 anti-TERF2IP / RAP1 antibody WB image

Western blot: Human Tonsil lysate (35 µg protein in RIPA buffer) stained with ARG65214 anti-TERF2IP / RAP1 antibody at 0.2 µg/ml dilution.