

Product datasheet

info@arigobio.com

ARG65670 anti-CA1 / Carbonic Anhydrase 1 antibody

Package: 100 μl, 50 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes CA1 / Carbonic Anhydrase 1

Tested Reactivity Ms, Rat

Tested Application WB

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name CA1 / Carbonic Anhydrase 1

Species Human

Immunogen Full length fusion protein of Human CA1.

Conjugation Un-conjugated

Alternate Names Carbonic anhydrase I; EC 4.2.1.1; Carbonate dehydratase I; Carbonic anhydrase B; Car1; HEL-S-11; CA-I;

Carbonic anhydrase 1; CAB

Application Instructions

Application table	Application	Dilution
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Positive Control	WB: Mouse liver tissue	

Properties

Form Liquid

Purification Affinity purification with immunogen.

Buffer PBS (pH 7.3), 0.05% Sodium azide and 50% Glycerol

Preservative 0.05% Sodium azide

Stabilizer 50% Glycerol
Concentration 0.9 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol CA1

Gene Full Name carbonic anhydrase I

Background Carbonic anhydrases (CAs) are a large family of zinc metalloenzymes that catalyze the reversible

hydration of carbon dioxide. They participate in a variety of biological processes, including respiration, calcification, acid-base balance, bone resorption, and the formation of aqueous humor, cerebrospinal fluid, saliva and gastric acid. They show extensive diversity in tissue distribution and in their subcellular localization. This CA1 gene is closely linked to the CA2 and CA3 genes on chromosome 8. It encodes a cytosolic protein that is found at the highest level in erythrocytes. Allelic variants of this gene have been described in some populations. Alternative splicing results in multiple transcript variants. [provided by


RefSeq, May 2014]

Function Reversible hydration of carbon dioxide. Can hydrates cyanamide to urea. [UniProt]

Research Area Cell Biology and Cellular Response antibody

Calculated Mw 29 kDa

Images



ARG65670 anti-CA1 / Carbonic Anhydrase 1 antibody WB image

Western blot: 20 μg of Mouse lung and Rat lung lysates stained with ARG65670 anti-CA1 / Carbonic Anhydrase 1 antibody at 1:1000 dilution.