

## ARG66663 anti-JAK1 antibody

Package: 100 µg  
Store at: -20°C

### Summary

Product Description	Rabbit Polyclonal antibody recognizes JAK1
Tested Reactivity	Hu, Ms, Rat
Tested Application	IHC-P, WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	JAK1
Species	Human
Immunogen	Synthetic peptide corresponding to aa. 988-1037 of Human JAK1.
Conjugation	Un-conjugated
Alternate Names	JTK3; Janus kinase 1; JAK-1; Tyrosine-protein kinase JAK1; JAK1A; JAK1B; EC 2.7.10.2

### Application Instructions

Application table	Application	Dilution
	IHC-P	1:50 - 1:300
	WB	1:500 - 1:2000
Application Note	IHC-P: Antigen Retrieval: Heat mediation was performed in Sodium citrate buffer (pH 6.0) for 20 min. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Observed Size	~ 130 kDa	


### Properties

Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	PBS, 0.02% Sodium azide, 50% Glycerol and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	50% Glycerol and 0.5% BSA
Concentration	1 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	JAK1
Gene Full Name	Janus kinase 1
Background	Janus kinase 1 (JAK1), is a member of a new class of protein-tyrosine kinases (PTK) characterized by the presence of a second phosphotransferase-related domain immediately N-terminal to the PTK domain. The second phosphotransferase domain bears all the hallmarks of a protein kinase, although its structure differs significantly from that of the PTK and threonine/serine kinase family members. JAK1 is a large, widely expressed membrane-associated phosphoprotein. JAK1 is involved in the interferon-alpha/beta and -gamma signal transduction pathways. The reciprocal interdependence between JAK1 and TYK2 activities in the interferon-alpha pathway, and between JAK1 and JAK2 in the interferon-gamma pathway, may reflect a requirement for these kinases in the correct assembly of interferon receptor complexes. These kinases couple cytokine ligand binding to tyrosine phosphorylation of various known signaling proteins and of a unique family of transcription factors termed the signal transducers and activators of transcription, or STATs. [provided by RefSeq, Jul 2008]
Function	Tyrosine kinase of the non-receptor type, involved in the IFN-alpha/beta/gamma signal pathway. Kinase partner for the interleukin (IL)-2 receptor. [UniProt]
Calculated Mw	133 kDa
PTM	Autophosphorylated (PubMed:7615558). Phosphorylated on tyrosine residues in response to interferon gamma signaling (PubMed:7615558). Dephosphorylation of Tyr-1034 and Tyr-1035 by PTPN2 negatively regulates cytokine-mediated signaling (PubMed:11909529).  Ubiquitinated by RNF125; leading to its degradation by the proteasome. [UniProt]
Cellular Localization	Endomembrane system; Peripheral membrane protein. Note=Wholly intracellular, possibly membrane associated. [UniProt]

Images




ARG66663 anti-JAK1 antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Mouse kidney tissue. Antigen Retrieval: Heat mediation was performed in Sodium citrate buffer (pH 6.0) for 20 min. The tissue section was stained with ARG66663 anti-JAK1 antibody at 1:200 dilution, overnight at 4°C. Negative control was used by secondary antibody only.



ARG66663 anti-JAK1 antibody WB image


Western blot: A549 cell lysate stained with ARG66663 anti-JAK1 antibody at 1:1000 dilution.



ARG66663 anti-JAK1 antibody IHC image

Immunohistochemistry: Rat lung tissue stained with ARG66663 anti-JAK1 antibody (orange-red) at 1:200 dilution, overnight at 4°C. DAPI (blue) for nuclear staining.

---



ARG66663 anti-JAK1 antibody WB image

Western blot: 293T, AD293 and HeLa cell lysates stained with ARG66663 anti-JAK1 antibody at 1:1000 dilution.

---