

ARG70085

Human TNFSF18 / GITRL recombinant protein (Active) (His-tagged, C-ter)

Package: 100 µg, 20 µg


Store at: -20°C

Summary

| | |
|---------------------|---|
| Product Description | E. coli expressed, His-tagged (C-ter) Active Human TNFSF18 / GITRL recombinant protein |
| Tested Application | SDS-PAGE |
| Target Name | TNFSF18 / GITRL |
| Species | Human |
| A.A. Sequence | Gln50 - Ile176 |
| Expression System | E. coli |
| Activity | Active |
| Activity Note | Determined by its ability to induce IL-8 secretion in human PBMC using a concentration range of 5-200 ng /mL. Note: Result may vary from different PBMC donors. |
| Alternate Names | TL6; AITRL; Glucocorticoid-induced TNF-related ligand; Tumor necrosis factor ligand superfamily member 18; hGITRL; Activation-inducible TNF-related ligand; GITRL |

Properties

| | |
|-------------------|---|
| Form | Powder |
| Purification Note | Endotoxin level is < 0.1 EU/µg of the protein, as determined by the LAL test. |
| Purity | > 98% (by SDS-PAGE) |
| Buffer | PBS (pH 7.4) |
| Reconstitution | |



Human TNFSF18 / GITRL
recombinant protein

ARG70085 Human TNFSF18 / GITRL recombinant protein (Active)
(His-tagged, C-ter) SDS-PAGE image

SDS-PAGE analysis of ARG70085 Human TNFSF18 / GITRL
recombinant protein (Active) (His-tagged, C-ter).