

ARG70110 Human FGF3 recombinant protein (Active) (His-tagged, C-ter)

Package: 100 μg, 20 μg Store at: -20°C

Summary


Product DescriptionE. coli expressed, His-tagged (C-ter) Active Human FGF3 recombinant proteinTested ApplicationSDS-PAGETarget NameFGF3SpeciesHumanA.A. SequenceAsp28 - Arg212Expression SystemE. coliActivityActiveDetermined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.Alternate NamesFGF-3; Fibroblast growth factor 3; Heparin-binding growth factor 3; Proto-oncogene Int-2; INT2; HBGF-3		
Target NameFGF3SpeciesHumanA.A. SequenceAsp28 - Arg212Expression SystemE. coliActivityActiveDetermined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.	Product Description	E. coli expressed, His-tagged (C-ter) Active Human FGF3 recombinant protein
SpeciesHumanA.A. SequenceAsp28 - Arg212Expression SystemE. coliActivityActiveActivity NoteDetermined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.	Tested Application	SDS-PAGE
A.A. SequenceAsp28 - Arg212Expression SystemE. coliActivityActiveActivity NoteDetermined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.	Target Name	FGF3
Expression System E. coli Activity Active Activity Note Determined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.	Species	Human
ActivityActiveActivity NoteDetermined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.	A.A. Sequence	Asp28 - Arg212
Activity Note Determined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.	Expression System	E. coli
	Activity	Active
Alternate Names FGF-3; Fibroblast growth factor 3; Heparin-binding growth factor 3; Proto-oncogene Int-2; INT2; HBGF-3	Activity Note	Determined by its ability to induce 3T3 cells proliferation. The ED50 for this effect is < 78 ng/mL.
	Alternate Names	FGF-3; Fibroblast growth factor 3; Heparin-binding growth factor 3; Proto-oncogene Int-2; INT2; HBGF-3

Properties

Form	Powder
Purification Note	Endotoxin level is < 0.1 EU/µg of the protein, as determined by the LAL test.
Purity	> 95% (by SDS-PAGE)
Buffer	PBS (pH 7.4)

Images

Reconstitution



ARG70110 Human FGF3 recombinant protein (Active) (His-tagged, C-ter) SDS-PAGE image

SDS-PAGE analysis of ARG70110 Human FGF3 recombinant protein (Active) (His-tagged, C-ter).