

Product datasheet

info@arigobio.com

ARG80229 Mouse GM-CSF ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG80229-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG80229-002	Standard (Lyophilized)	3 X 0.5 ng/vial	4°C
ARG80229-003	Standard diluent buffer	20 ml	4°C
ARG80229-004	Antibody conjugate concentrate	400 μΙ	4°C
ARG80229-005	Antibody diluent buffer	16 ml	4°C
ARG80229-006	HRP-Streptavidin concentrate	400 μΙ	4°C (Protect from light)
ARG80229-007	HRP-Streptavidin diluent buffer	16 ml	4°C
ARG80229-008	20X Wash buffer	50 ml	4°C
ARG80229-009	TMB substrate	12ml	4°C (Protect from light)
ARG80229-010	STOP solution	12ml	4°C
ARG80229-011	Plate sealer	4 strips	Room temperature

Summary

•			
Product Description ARG80229 Mouse GM-CSF ELISA Kit is an Enzyme Immunoassay kit for the quantifica CSF in Serum, Plasma, Cell culture supernatants.			
Tested Reactivity	Ms		
Tested Application	ELISA		
Specificity	No significant cross-reactivity or interference with G-CSF,M-CSF,IL-3,4,5,IL-4 R/Fc		
Target Name	GM-CSF		
Conjugation	HRP		
Conjugation Note	Substrate: TMB and read at 450 nm		
Sensitivity	8 pg/ml		
Sample Type	Serum, Plasma, Cell culture supernatants		
Standard Range	15.6 - 1000 pg/ml		
Sample Volume	100 μΙ		

Precision CV: less than 10%

Alternate Names GM-CSF; Granulocyte-macrophage colony-stimulating factor; CSF; GMCSF; Molgramostin; Colony-

stimulating factor; Sargramostim

Application Instructions

Assay Time 4 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links GeneID: 12981 Mouse

Swiss-port # P01587 Mouse

Gene Symbol Csf2

Gene Full Name colony stimulating factor 2 (granulocyte-macrophage)

Background This cytokine stimulates the growth and differentiation of hematopoietic precursor cells from various

lineages, including granulocytes, macrophages, eosinophils and erythrocytes. Used in myeloid

reconstitution following bone marrow transplant, bone marrow transplant engraftment failure or delay,

mobilization and following transplantation of autologous peripheral blood progenitor cells, and

following induction chemotherapy in older adults with acute myelogenous leukemia.

Highlight Related products:


<u>GM-CSF antibodies;</u> <u>GM-CSF ELISA Kits;</u> <u>GM-CSF Duos / Panels;</u> <u>GM-CSF recombinant proteins;</u>

Related news:

HMGB1 in inflammation Inflammatory Cytokines

New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Research Area Immune System kit



ARG80229 Mouse GM-CSF ELISA Kit standard curve image

ARG80229 Mouse GM-CSF ELISA Kit results of a typical standard run with optical density reading at 450 nm.