

Product datasheet

info@arigobio.com

ARG81610 Human HGFA ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81610-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81610-002	Standard	2 X 10 ng/vial	4°C
ARG81610-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81610-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81610-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81610-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81610-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81610-008	25X Wash buffer	20 ml	4°C
ARG81610-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81610-010	STOP solution	10 ml (Ready to use)	4°C
ARG81610-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG81610 Human HGFA ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human HGFA	

in serum, plasma (heparin, EDTA) and cell culture supernatants.

Tested Reactivity Hu

Tested Application ELISA

Specificity There is no detectable cross-reactivity with other relevant proteins.

Target Name HGFA

Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 15.6 pg/ml

Sample Type Serum, plasma (heparin, EDTA) and cell culture supernatants.

Standard Range 31.2 - 2000 pg/ml

Sample Volume $100 \ \mu l$

Precision Intra-Assay CV: 6.0%

Inter-Assay CV: 7.1%

Alternate Names HGF activator; HGFA; EC 3.4.21.-; Hepatocyte growth factor activator

Application Instructions

Assay Time ~ 5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol HGFAC

Gene Full Name HGF activator

Background This gene encodes a member of the peptidase S1 protein family. The encoded protein is first

synthesized as an inactive single-chain precursor before being activated to a heterodimeric form by endoproteolytic processing. It acts as serine protease that converts hepatocyte growth factor to the active form. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014]


Function Activates hepatocyte growth factor (HGF) by converting it from a single chain to a heterodimeric form.

[UniProt]

Highlight Related products:

HGFA antibodies; HGFA ELISA Kits; New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Images



ARG81610 Human HGFA ELISA Kit standard curve image

ARG81610 Human HGFA ELISA Kit results of a typical standard run with optical density reading at 450 nm.