

Product datasheet

info@arigobio.com

ARG81785 Mouse MPO / Myeloperoxidase ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81785-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81785-002	Standard	2 X 10 ng/vial	4°C
ARG81785-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81785-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81785-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81785-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81785-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81785-008	25X Wash buffer	20 ml	4°C
ARG81785-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81785-010	STOP solution	10 ml (Ready to use)	4°C
ARG81785-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG81785 Mouse MPO / Myeloperoxidase ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse MPO / Myeloperoxidase in serum, plasma (heparin, EDTA) and cell culture supernatants.	
Tested Reactivity	Ms	
Tested Application	lication ELISA	
Specificity	There is no detectable cross-reactivity with other relevant proteins.	
Target Name	MPO / Myeloperoxidase	
Conjugation	HRP	
Conjugation Note	tivity 78 pg/ml	
Sensitivity		
Sample Type		
Standard Range	156 - 10000 pg/ml	
Sample Volume	100 μΙ	

Precision Intra-Assay CV: 5.6%; Inter-Assay CV: 7.2%

Alternate Names MPO; Myeloperoxidase; EC 1.11.2.2

Application Instructions

Assay Time ~ 5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol MPO

Gene Full Name myeloperoxidase

Background Myeloperoxidase (MPO) is a heme protein synthesized during myeloid differentiation that constitutes

the major component of neutrophil azurophilic granules. Produced as a single chain precursor, myeloperoxidase is subsequently cleaved into a light and heavy chain. The mature myeloperoxidase is a tetramer composed of 2 light chains and 2 heavy chains. This enzyme produces hypohalous acids

central to the microbicidal activity of neutrophils. [provided by RefSeq, Nov 2014]

Function Myeloperoxidase (MPO): Part of the host defense system of polymorphonuclear leukocytes. It is

responsible for microbicidal activity against a wide range of organisms. In the stimulated PMN, MPO catalyzes the production of hypohalous acids, primarily hypochlorous acid in physiologic situations, and


other toxic intermediates that greatly enhance PMN microbicidal activity. [UniProt]

Highlight Related products:

MPO antibodies; MPO ELISA Kits; MPO Duos / Panels;

Related news:

Exploring Antiviral Immune Response
New ELISA data calculation tool:
Simplify the ELISA analysis by GainData



ARG81785 Mouse MPO / Myeloperoxidase ELISA Kit standard curve image $\,$

ARG81785 Mouse MPO / Myeloperoxidase ELISA Kit results of a typical standard run with optical density reading at 450 nm.