

# **Product datasheet**

info@arigobio.com

ARG81832 Rat CD255 / TWEAK ELISA Kit Package: 96 wells Store at: 4°C

# Component

Cat. No.	Component Name	Package	Temp
ARG81832-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81832-002	Standard	2 X 10 ng/vial	4°C
ARG81832-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81832-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81832-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81832-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81832-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81832-008	25X Wash buffer	20 ml	4°C
ARG81832-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81832-010	STOP solution	10 ml (Ready to use)	4°C
ARG81832-011	Plate sealer	4 strips	Room temperature

#### **Summary**

Product Description	ARG81832 Rat CD255 /	I WEAK ELISA Kit is an Ei	nzyme Immunoassay	/ kit for the quantification of Rat

CD255 / TWEAK in serum, plasma (heparin, EDTA) and cell culture supernatants.

Tested Reactivity Rat
Tested Application ELISA

**Specificity** There is no detectable cross-reactivity with other relevant proteins.

Target Name CD255 / TWEAK

Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 7.8 pg/ml

Sample Type Serum, plasma (heparin, EDTA) and cell culture supernatants.

Standard Range 15.6 - 1000 pg/ml

Sample Volume  $100 \ \mu l$ 

Precision Intra-Assay CV: 5.3%; Inter-Assay CV: 6.3%

Alternate Names APO3L; DR3LG; TWEAK; TNLG4A

### **Application Instructions**

Assay Time ~ 5 hours

# **Properties**

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

#### Bioinformation

Gene Symbol TNFSF12

Gene Full Name TNF superfamily member 12

Background The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand

family. This protein is a ligand for the FN14/TWEAKR receptor. This cytokine has overlapping signaling functions with TNF, but displays a much wider tissue distribution. This cytokine, which exists in both membrane-bound and secreted forms, can induce apoptosis via multiple pathways of cell death in a cell type-specific manner. This cytokine is also found to promote proliferation and migration of endothelial cells, and thus acts as a regulator of angiogenesis. Alternative splicing results in multiple transcript variants. Some transcripts skip the last exon of this gene and continue into the second exon of the neighboring TNFSF13 gene; such read-through transcripts are contained in GeneID 407977,

TNFSF12-TNFSF13. [provided by RefSeq, Oct 2010]

Function Binds to FN14 and possibly also to TNRFSF12/APO3. Weak inducer of apoptosis in some cell types.


Mediates NF-kappa-B activation. Promotes angiogenesis and the proliferation of endothelial cells. Also

involved in induction of inflammatory cytokines. Promotes IL8 secretion. [UniProt]

Highlight Related products:

CD255 antibodies; CD255 ELISA Kits; New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Cellular Localization Plasma membrane; Extracellular region or secreted. [UniProt]



# ARG81832 Rat CD255 / TWEAK ELISA Kit standard curve image

ARG81832 Rat CD255 / TWEAK ELISA Kit results of a typical standard run with optical density reading at  $450\ nm.$