

Product datasheet

info@arigobio.com

ARG82382 Rat Semaphorin 3F ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG82382-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG82382-002	Standard	2 X 10 ng/vial	4°C
ARG82382-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG82382-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG82382-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG82382-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG82382-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG82382-008	25X Wash buffer	20 ml	4°C
ARG82382-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG82382-010	STOP solution	10 ml (Ready to use)	4°C
ARG82382-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG82382 Rat Semaphorin 3F ELISA Kit is an Enzyme Immunoassay kit for the quantification of Rat

Semaphorin 3F in serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.

Tested Reactivity Rat
Tested Application ELISA

Target Name Semaphorin 3F

Conjugation HRF

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 15.6 pg/ml

Sample Type Serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.

Standard Range 31.2 - 2000 pg/ml

Sample Volume $100 \ \mu l$

Precision Intra-Assay CV: 5.1%

Inter-Assay CV: 6.2%

Application Instructions

Assay Time

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

~ 5 hours

Bioinformation

Gene Symbol SEMA3F

Gene Full Name sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3F

Background The semaphorins are a family of proteins that are involved in signaling. All the family members have a

secretion signal, a 500-amino acid sema domain, and 16 conserved cysteine residues (Kolodkin et al., 1993 [PubMed 8269517]). Sequence comparisons have grouped the secreted semaphorins into 3 general classes, all of which also have an immunoglobulin domain. The semaphorin III family, consisting of human semaphorin III (SEMA3A; MIM 603961), chicken collapsin, and mouse semaphorins A, D, and E, all have a basic domain at the C terminus. Chicken collapsin contributes to path finding by axons during development by inhibiting extension of growth cones (Luo et al., 1993 [PubMed 8402908]) through an interaction with a collapsin response mediator protein of relative molecular mass 62K (CRMP62) (Goshima et al., 1995 [PubMed 7637782]), a putative homolog of an axonal guidance associated UNC33 gene product (MIM 601168). SEMA3F is a secreted member of the semaphorin III

family.[supplied by OMIM, Mar 2008]


Function May play a role in cell motility and cell adhesion. [UniProt]

Highlight Related products:

Semaphorin antibodies; Semaphorin ELISA Kits;

New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Cellular Localization Secreted. [UniProt]



ARG82382 Rat Semaphorin 3F ELISA Kit standard curve image

ARG82382 Rat Semaphorin 3F ELISA Kit results of a typical standard run with optical density reading at 450 nm.