

Product datasheet

info@arigobio.com

ARG24135 anti-Hsp 27 antibody [8A7] (PE)

Package: 50 μg Store at: -20°C

Summary

Product Description PE-conjugated Mouse Monoclonal antibody [8A7] recognizes Hsp 27

Tested Reactivity Hu, Ms, Rat, Bov, Dog, Gpig, Hm, Sheep

Tested Application FACS, ICC/IF, IHC-P, IP, WB

Specificity This antibody may cross reacts with alpha B crystallin.

Host Mouse

Clonality Monoclonal

Clone 8A7 Isotype IgG

Target Name Hsp 27
Species Human

Immunogen HSP27 peptide

Conjugation PE

Alternate Names HSP 27; Heat shock 27 kDa protein; HMN2B; HS.76067; SRP27; HEL-S-102; HspB1; CMT2F; 28 kDa heat

shock protein; HSP27; Heat shock protein beta-1; Hsp25; Estrogen-regulated 24 kDa protein; Stress-

responsive protein 27; HSP28

Application Instructions

Application table	Application	Dilution
	FACS	Assay-dependent
	ICC/IF	1:200
	IHC-P	1:100
	IP	Assay-dependent
	WB	1:5000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Purification with Protein G.

Buffer PBS (pH 7.2), 0.09% Sodium azide and 50% Glycerol

Preservative 0.09% Sodium azide

Stabilizer 50% Glycerol

Concentration 1 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol HSPB1

Gene Full Name heat shock 27kDa protein 1

Background The protein encoded by this gene is induced by environmental stress and developmental changes. The

encoded protein is involved in stress resistance and actin organization and translocates from the cytoplasm to the nucleus upon stress induction. Defects in this gene are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN). [provided by RefSeq,

Oct 2008]

Function Involved in stress resistance and actin organization. [UniProt]

Highlight